

WATER TREATMENT MAGNETS




Over the past 35 years, research has shown that magnetic treatment of water may reduce "hardness" caused primarily by calcium and magnesium. Water treatment magnets can prevent deposits of these minerals on the inside of the pipe walls, and descale the existing buildup of solids. Although treatment begins when installed, descaling can take as long as six months in heavily crusted pipes. Magnetized water is softer, it feels wetter and cleaner, and it is free of the additives used in other types of water treatments.

Our magnetic devices for water treatment are specifically designed for installation on various pipe sizes that range from 1/4" to 8" in diameter. These magnets can be used on copper, lead, plastic or steel pipes.

Master Magnetics, Inc. provides magnets which can be applied directly to a pipe or housed in a more marketable enclosure. We do not have an interest in marketing water treatment magnets directly to consumers. Our intent is to provide magnets or magnetic elements to producers of finished, marketable water treatment units.

WATER TREATMENT MAGNET

Model #WTMLM50P



The WTMLM50P water treatment magnet is for all copper or plastic pipes up to 3/4" in diameter. The South pole of the magnet is designated with an "S". Water flow direction should be from North magnetic pole to South magnetic pole. This illustration shows the proper application of this magnet to the pipe. Attachment can be made using wire, string, duct tape or hose clamp. The magnets should be installed on the pipe between the main valve and the water heater. A secondary unit may be installed on pipe that exits the water heater, if necessary.

NOTE:


1/2" and 3/4" steel pipes require a larger magnet (see next page).

WATER TREATMENT MAGNETS

Model #WTM4

Ceramic magnet for water treatment


- 1/2" and 3/4" dia. pipes require 1 magnet
- 1" pipe requires 2 magnets, with poles repelling as shown below



Model #WTM802

Ceramic magnet for water treatment

- 2" pipe requires 4 magnets, with poles repelling as shown below



All dimensions are approximate


Illustrations not to scale

WATER TREATMENT MAGNETS

Model #WTM1863

Ceramic magnet for water treatment


- 3" pipe requires 4 magnets, with poles repelling as shown below
- 4" pipe requires 6 magnets, with poles repelling



Model #WTM186

Ceramic magnet for water treatment

- 6" pipe requires 8 magnets, with poles repelling as shown below



All dimensions are approximate


Illustrations not to scale

WATER TREATMENT MAGNETS

Model #WTM186x2

Ceramic magnet for water treatment

- 8" pipe requires 12 magnets, with poles repelling as shown below



All dimensions are approximate

Illustrations not to scale

WATER TREATMENT MAGNETS PRICE LIST

Part Number	Price Per Magnet				
	1-9 pcs.	10-24 pcs.	25-49 pcs.	50-99 pcs.	100-249 pcs.
WTMLM50P	\$7.95	\$5.95	\$3.95	\$3.95	\$3.95
WTM4	12.00	9.00	5.50	5.00	4.40
WTM802	22.00	18.00	11.00	10.00	9.00
WTM1863	28.00	23.00	14.00	13.00	12.00
WTM186	36.00	28.00	18.00	16.50	15.50
WTM186x2	75.00	56.00	35.00	32.00	30.00

MASTER MAGNETICS, INC.



607 South Gilbert • Castle Rock, CO 80104
1-800-525-3536 Fax (303) 688-5303

MINIMUM ORDER: \$30.00

Terms: 1% 10 net 30 days to approved accounts
F.O.B. Origin

Prices subject to change without notice.